



**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

---

Attn:

**Tim Popp**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

1/18/2022

Phone: (856) 840-8800  
Fax: (856) 840-8815

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 1/5/2022. The results are tabulated on the attached data pages for the following client designated project:

**21-211/Our Lady of Peace (School)**

The reference number for these samples is EMSL Order #012200559. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

---

Phillip Worby, Environmental Chemistry  
Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.  
NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012200559  
 CustomerID: TTIE54  
 CustomerPO: 034117  
 ProjectID:

Attn: **Tim Popp**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 1/5/2022 01:45 PM

Project: 21-211/Our Lady of Peace (School)

**Analytical Results**

**Client Sample Description** 2 OLP-DW-CUSTR  
 Outside Office (Right) **Collected:** 1/5/2022 10:07:00 AM **Lab ID:** 012200559-0001

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.82	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:44

**Client Sample Description** 3 OLP-WC-105  
 Hall at Room 105 **Collected:** 1/5/2022 10:06:00 AM **Lab ID:** 012200559-0002

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:46

**Client Sample Description** 4 OLP-WC-2FL  
 2nd Floor at Girl's Bathroom **Collected:** 1/5/2022 10:17:00 AM **Lab ID:** 012200559-0003

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:47

**Client Sample Description** 5 OLP-SF-NURSEO  
 Nurse Office **Collected:** 1/5/2022 10:18:00 AM **Lab ID:** 012200559-0004

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	3.19	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:49

**Client Sample Description** 8 OLP-SF-K2  
 Kitchen Double Tub **Collected:** 1/5/2022 10:09:00 AM **Lab ID:** 012200559-0005

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:50

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012200559  
 CustomerID: TTIE54  
 CustomerPO: 034117  
 ProjectID:

Attn: **Tim Popp**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 1/5/2022 01:45 PM

Project: 21-211/Our Lady of Peace (School)

**Analytical Results**

**Client Sample Description** 9 OLP-WC-CAFE  
 Café near Kitchen  
**Collected:** 1/5/2022 10:11:00 AM  
**Lab ID:** 012200559-0006

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:52

**Client Sample Description** 11 OLP-SF-NURSE 2  
 Nurse Exam Room  
**Collected:** 1/5/2022 10:20:00 AM  
**Lab ID:** 012200559-0007

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	6.32	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:53

**Client Sample Description** 12 Field Blank  
 Blank  
**Collected:** 1/5/2022  
**Lab ID:** 012200559-0008

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	1/14/2022 KB	1/14/2022 KB 23:55

**Definitions:**

- MDL - method detection limit
- J - Result was below the reporting limit, but at or above the MDL
- ND - indicates that the analyte was not detected at the reporting limit
- RL - Reporting Limit (Analytical)
- D - Dilution Sample required a dilution which was used to calculate final results