



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

Tim Popp
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

1/27/2022

Phone: (856) 840-8800
Fax: (856) 840-8815

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 1/13/2022. The results are tabulated on the attached data pages for the following client designated project:

21-211/ East Campus

The reference number for these samples is EMSL Order #012200969. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Phillip Worby, Environmental Chemistry
Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.
NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 012200969

CustomerID: TTIE54

CustomerPO: 034117

ProjectID:

Attn: **Tim Popp**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 1/13/2022 01:50 PM

Project: 21-211/ East Campus

Analytical Results

Client Sample Description 2-EC-SF-K2
 Kitchen-Double Tap
Collected: 1/12/2022 11:27:00 AM
Lab ID: 012200969-0001

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 5.06 | 1.00 µg/L | 1/21/2022 KB | 1/25/2022 KB 21:59 |

Client Sample Description 3-EC-SF-K1
 Kitchen-Single Tub
Collected: 1/12/2022 11:28:00 AM
Lab ID: 012200969-0002

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 1.94 | 1.00 µg/L | 1/21/2022 KB | 1/25/2022 KB 22:01 |

Client Sample Description 7-EC-SF-GYML
 Gym Kitchen (Left)
Collected: 1/12/2022 11:32:00 AM
Lab ID: 012200969-0003

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 11.5 | 1.00 µg/L | 1/21/2022 KB | 1/25/2022 KB 22:02 |

Client Sample Description 8-EC-SF-GYMR
 Gym Kitchen (Right)
Collected: 1/12/2022 11:33:00 AM
Lab ID: 012200969-0004

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 5.22 | 1.00 µg/L | 1/21/2022 KB | 1/25/2022 KB 22:07 |

Definitions:

- MDL - method detection limit
- J - Result was below the reporting limit, but at or above the MDL
- ND - indicates that the analyte was not detected at the reporting limit
- RL - Reporting Limit (Analytical)
- D - Dilution Sample required a dilution which was used to calculate final results